



Product Catalog

UNSTOPPABLE

POWER



Brand Introduction

At SENIX, we break barriers and shatter expectations by redefining and manufacturing outdoor power equipment and power tools with edgy innovation and relentless passion.

Whether you're an arborist, a landscaper, or a fearless DIY enthusiast, SENIX tools have been crafted with you in mind. We understand the grit, determination, and artistry that go into your craft, and that's why we've designed products that seamlessly extend your skills.

With cutting-edge technology, performance, and eco-friendly design options, we empower you to conquer any task at hand.

Join the movement - dare to be part of the SENIX family.



senix.co



Table of Contents

Cordless Outdoor Power Equipment

X6 | 60V #1

2X2 | 40V #6

X2 | 20V #9

Petrol Outdoor Power Equipment

4QL #23

Corded Outdoor Power Equipment

AC-Corded #28

Accessories #42





WHAT DO WE STAND FOR?

COMFORTABLE EFFICIENT PROFESSIONAL LIGHT
EDGY CONVENIENT AMERICAN USER-FRIENDLY
CONFIDENT **POWERFUL** MUSCULAR BOLD
RELIABLE SOLID **DURABLE** LOGICAL
LASTING PRECISION QUALITY SAFETY **PURPOSEFUL** DETAIL
STRONG **INNOVATIVE** NO-NONSENSE
TOUGH
UNIQUE PROTECT UNCLUTTERED MUSCULAR CLEAN
TRUSTWORTHY VALUE GUARD SIMPLICITY PRACTICAL
CONFIDENT CONSISTENT ELEGANT STYLE
IMPACT MODERN INTERNATIONAL

SENIX Power Lineup

From Lithium-ion battery-operated outdoor power equipment to power tools to our corded and petrol products, SENIX has a wide selection of tools to meet your needs.



Embrace the Green, Unleash the Beast

Introducing the ultimate set of 60V outdoor power equipment tools and a cutting-edge battery platform engineered to fortify the landscaping game to tackle large yards and outdoor facilities, while championing the eco-conscious advantages of battery-operated tools. From precision lawn care to heavy-duty facility maintenance, our SENIX X6 cordless technology stands as our best-in-class platform, delivering SENIX's greatest power for every project.



Twice the Power, Double the Results

Unlock a new level of power and performance with our 40V lineup. Harnessing the combined might of (2) 20V batteries, this category is designed to enhance and up the ante on your yard projects.



Light On Pounds, Heavy On Power

Discover the ideal solution for your projects with our 20V SENIX Tools. From professionals to homeowners, whatever you seek, our range of offerings is tailored to cater to your unique needs.



All Muscle, No Fuss

Patented 4QL technology. Unidirectional quantitative lubrication that prevents flooding, leaks, and keeps the motor lubricated in any direction. Featuring a 4-cycle engine that is lightweight, smooth, and powerful, and does not require mixing oil with petrol, the SENIX 4QL is our inaugural line of products.



Hooked Up To Endless Power

Powerfully quiet. And quietly powerful. Corded outdoor power equipment tools mean quieter operation, low vibration, and reduced environmental impact without compromising the need for power.



SENIX

X6

60V

LITHIUM-ION



EMBRACE THE GREEN

**UNLEASH THE
BEAST**



*60V maximum initial voltage. 56V nominal voltage.

Battery Specifications

- Easy to read fuel gauge quickly shows user how much power is left during product use and while charging.
- Intelligent power management optimizes individual battery cells for maximum power, performance, and runtime.
- Integrated heat dissipation protects battery from overheating so equipment runs longer at full power.
- Shock-resistant design protects batteries from drops.
- Compatible with all SENIX X6 equipment and chargers.
- Vacuum coating process, dustproof and waterproof.
- PCB and cell as a whole.



	B30X6	B40X6	B60X6	B80X6	B120X6
Voltage	60V	60V	60V	60V	60V
Battery Capacity	3.0Ah	4.0Ah	6.0Ah	8.0Ah	12.0Ah
Battery power	168Wh	224Wh	336Wh	448Wh	672Wh
Cell arrangement	15S1P	15S2P	15S2P	15S2P	15S3P
Cell type	21700	18650	21700	21700	21700

Specifications or Features

- Intelligent battery control system monitors each cell's charge and temperature to deliver the quickest, most efficient charge.
- Fan-cooled charging system prevents battery and charger from overheating.
- Charging indicator lights can monitor charging status in real time and alarm abnormal status in real time.
- Charges all X6 60V batteries.



CHX6-L-EU 3.0A



CHQX6-EU 5.0A



CHQX6-M-EU 8.0A



CHDX6-M-EU 8.0A
Dual-port charger

60V OUTDOOR POWER EQUIPMENT

Best in class platform. Innovatively engineered for large to small yards and outdoor facilities. Experience the freedom of cordless without compromising on power.



Best electric lawn mower
for small yards

BRUSHLESS™

**53cm (21") RWD Self
Propelled Mower
LPSX6-H-EU**

Voltage	60V
Mowing Functions	3-in-1 (Mulch, Bag and Side Discharge)
Cutting Capacity	True 53cm (21") Blade Length
Height Adjustment	38-100mm(1.5"-4"), 7 -position
Drive Type	Variable Speed RWD Self-propelled
Collection Bag	60L(1.7bu)
Runtime	45 minutes(8.0Ah Battery)
Weight (Tool Only)	27.7kg



BRUSHLESS™

**53cm (21") AWD Self
Propelled Mower
LPSX6-H1-EU**

Voltage	60V
Mowing Functions	3-in-1 (Mulch, Bag and Side Discharge)
Cutting Capacity	True 53cm(21") Dual Blade Length
Height Adjustment	38-100mm(1.5"-4"), 7 -position
Drive Type	Variable Speed AWD Self-propelled
Collection Bag	60L(1.7bu)
Runtime	45 minutes(8.0Ah Battery)
Weight (Tool Only)	27.7kg



BRUSHLESS™

**53cm (21") Push Mower
LPPX6-H-EU**

Voltage	60V
Motor Type	1200W Brushless
No Load Speed	2600RPM/2800RPM/3000RPM
Mowing Function	3-in-1 (Mulch, Bag and Side Discharge)
Cutting Capacity	53cm
Height Adjustment	38-100mm, 7-position
Wheel Size (F/R)	20/25cm
Collection Bag	60L
Runtime	35 minutes(6.0Ah Battery)
Weight (Tool Only)	25kg



BRUSHLESS™

**60V 1614m³/h(950CFM)
Backpack Blower
BLBX6-M-EU**

Voltage	60V
Rated Output Power	2400W
Maximum Wind Speed	225km/h(140MPH)
Max Air Volume	950CFM
Weight (Tool Only)	7.2kg


BRUSHLESS™
**60V 40cm(16") Chainsaw
CSX6-M-EU**

Voltage	60V
No-Load Speed	0-14,000RPM
Chain Speed	0-26m/s
Chain Pitch	8.3mm
Chain/ Bar Length	40cm(16")
Weight (Tool Only)	3.5kg


BRUSHLESS™
**60V 45cm(18") Chainsaw
CSX6-M1-EU**

Voltage	60V
No-Load Speed	0-14,000RPM
Chain Speed	0-26m/s
Chain Pitch	8.3mm
Chain/ Bar Length	45cm(18")
Weight (Tool Only)	3.7kg


BRUSHLESS™
**60V 25cm(10") Pole Saw
CSPX6-M-EU**

Voltage	60V
No-Load Speed	0-11000RPM
Chain Speed	0-20m/s
Chain & Bar Length	25cm (10")
Adjustment Range	1.5m-2.8m
Weight (Tool Only)	3.5kg


BRUSHLESS™
**60V 1380m³/h (810CFM)
Leaf Blower
BLAX6-M1-EU**

Voltage	60V
No-Load Speed	0-25,000RPM
Air Speed	270km/h
Air Volume	1380m³/h
Weight (Tool Only)	2.4kg


BRUSHLESS™
**60V 69cm (27-1/4")
Hedge Trimmer
HTX6-M1-EU**

Voltage	60V
Strokes Per Minute	0-3400SPM
Blade Length	690mm(27-1/4")
Cutting Capacity	33.5mm(1-1/4")
Weight (Tool Only)	3.9kg


BRUSHLESS™
**60V 40cm (16")
String Trimmer
GTX6-M-EU**

Voltage	60V
Max. Rotation Speed	6000RPM
ECO Mode Speed	5000RPM
Cutting Capacity	40cm(16")
Line Type	2.4mm(0.095") x2
Line Length	4m
Feeding System	Bump
Weight (Tool Only)	3.4kg



BRUSHLESS™

**X6 60V Brushless 38cm (15")
Snow Shovel**

STX6-M-EU

Voltage	60V
Rated Output Power	1500W Brushless
No Load Speed	ECO 1600RPM/2300RPM
Maximum Clearing Width	38cm(15")
Maximum Plow Depth	16cm(6")
Maximum Throw Distance	6m-10m(20-33ft)
Wheel Size	16cm(6")
Maximum Clearing Capacity	272kg/min (600 lbs/min)
Maximum Working Time	40min/4ah
Weight (Tool Only)	8.3kg



BRUSHLESS™

**X6 60V Brushless 53cm (21")
Snow blower**

STX6-H-EU

Voltage	60V
Rated Output Power(Motor)	3500W Brushless
No Load Speed	1700-2200RPM
Maximum Clearing Width	53cm(21")
Maximum Plow Depth	33cm(13")
Maximum Throw Distance	10.7m-13.7m(35-45Ft)
Handle Type	Heated Handles
Auger Material	Rubber-Tipped Steel
Maximum Clearing Capacity	680kg/min(1500lbs/min)
Maximum Working Time	45min/2*8ah
Weight (Tool Only)	24.0kg



ZTR Lawnmowers

60V 107cm (42") Zero Turn Ride-on Mower

ZTRX6-M-EU

APP CONNECTIVITY
(BLUETOOTH)



LCD Screen & Control Panel
Integrated battery compartment
360-degree illumination
Integral segmented structure
Replaceable design of blade deck
Blade-deck height auxiliary adjustment



60V 137cm (54") Zero Turn Ride-on Mower

ZTRX6-M1-EU

APP CONNECTIVITY
(BLUETOOTH)



LCD Screen & Control Panel
Integrated battery compartment
360-degree illumination
Integral segmented structure
Replaceable design of blade deck
Blade-deck height auxiliary adjustment



60V 107cm (42") Hybrid Zero Turn Ride-on Mower

ZTRX6-H-EU

APP CONNECTIVITY
(BLUETOOTH)



Powerful gasoline generator
Three modes optional: EV, Hybrid, Gasoline power
LCD Screen & Control Panel
Integrated battery compartment
360-degree illumination
Ultimate comfort suspension seat
Integral segmented structure
Replaceable design of blade deck

60V 137cm (54") Hybrid Zero Turn Ride-on Mower

ZTRX6-H1-EU

APP CONNECTIVITY
(BLUETOOTH)



Powerful gasoline generator
Three modes optional: EV, Hybrid, Gasoline power
LCD Screen & Control Panel
Integrated battery compartment
360-degree illumination
Ultimate comfort suspension seat
Integral segmented structure
Replaceable design of blade deck



ZTR Lawnmowers

	ZTRX6-M-EU	ZTRX6-M1-EU	ZTRX6-H-EU	ZTRX6-H1-EU
Deck Size	107cm(42")	137cm (54")	107cm(42")	137cm (54")
Rated Voltage	60	60	60	60
GAS-GENERATOR	No	No	Yes	Yes
Turning Radius	0	0	0	0
Max. Battery Quantity (pcs) Equiped	6	6	4	4
Battery Capacity (optional)	6Ah/8Ah/12Ah	6Ah/8Ah/12Ah	6Ah/8Ah/12Ah	6Ah/8Ah/12Ah
Driving Speed	position 1	3.2km/h (2mph)	3.2km/h (2mph)	3.2km/h (2mph)
	position 2	6.4km/h (4mph)	6.4km/h (4mph)	6.4km/h (4mph)
	position 3	9.6km/h (6mph)	9.6km/h (6mph)	9.6km/h (6mph)
	position 4	12.8km/h (8mph)	12.8km/h (8mph)	12.8km/h (8mph)
Cutting-height adjustment	2.5-11.4cm (1-4.5inch) (15 positions)	2.5-11.4cm (1-4.5inch) (15 positions)	2.5-11.4cm (1-4.5inch) (15 positions)	2.5-11.4cm (1-4.5inch) (15 positions)
Height Adjust Mode	Manual	Manual	Manual	Manual
Cutting Areas	8094m² (6*12Ah)	12140m² (6*12Ah)	20234m² (4*12Ah)	24281m² (4*12Ah)
Driving Models	ECO、TURBO	ECO、TURBO	ECO、TURBO	ECO、TURBO
Function	mulching, bagging, side-discharge	mulching, side-discharge	mulching, bagging, side-discharge	mulching, side-discharge



VS



VS



Hybrid VS Petrol

Hybrid Mower VS Petrol

1/ Compared to the petrol ZTR, the Hybrid ZTR is more economical quieter and enviromental-friendly to use.

2/ Compared to the petrol ZTR, the hybrid ZTR has a simpler design structure, which equals large labour saving during maintenance.

3/ The Hybrid ZTR is powered and controlled by an electric motor and operating system, providing users with an enhanced driving experience.

Hybrid VS Electric

Hybrid Mower VS Pure Battery Mower

1/ Compared to the battery powered ZTR, the Hybrid has longer run time, with a working time range of 6-8 hours of battery and fuel power!

2/ Compared to the battery powered ZTR, the hybrids petrol generator and battery simultaneously supply power to the motor, providing greater mowing power than a pure electric vehicle.

3/ The petrol generator of the ZTR provides power to the motor while charging the X6 battery packs, these can be used immediately with full charge on the entire X6 range!

2X2

40VTM

20V 

+

20V 

LITHIUM-ION

2X2 40V

2X THE POWER

Elevate your yard work with 40V power. Combine (2) SENIX 20V batteries to unlock SENIX 40V powerhouse, delivering increased power & longer runtime for challenging tasks.



SENIX 20V BATTERY TECHNOLOGY:
COMPATIBLE AND INTERCHANGEABLE WITH ALL SENIX 40V PRODUCTS WHEN USING TWO BATTERIES

2X2^(20+20V) 40V

As an extension of our 20V lineup, tap into the versatility of our 40V lineup. Ideal for all residential tasks needing a boost in power.



BRUSHLESS™

**40V 38cm (15'') Push Mower
LPPX2-M4-EU**

Voltage	40V
Mowing Functions	2-in-1(Bag, Mulch)
Cutting Capacity	38cm(15'')
Height Adjustment	25-75mm,6 positions
Collection Bag	45L
Weight(Tool Only)	14.5kg



BRUSHLESS™

**40V 43cm (17'') Push Mower
LPPX2-M5-EU**

Voltage	40V
Mowing Functions	2-in-1(Bag, Mulch)
Cutting Capacity	43cm (17'')
Height Adjustment	25-75mm,6-position
Collection Bag	50L
Weight(Tool Only)	16kg



BRUSHLESS™

**40V 46cm (18'') Push Mower
LSPX2-H-EU**

Voltage	40V
Mowing Functions	3-in-1(Mulch, Bag and Side Discharge)
Cutting Capacity	46cm(18'')
Height Adjustment	25-80mm,7 positions
Collection Bag	55L
Weight(Tool Only)	25.6kg



**X2 40V Cordless 38cm (15'')
Lawn Mower
LPPX2-M1-EU**

Motor Type	Brushed
No-Load Speed	ECO 3000RPM/3500RPM
Cutting Capacity	38cm(15'')
Height Adjustment	25-75mm,6 positions
Collection Bag	45L
Weight(Tool Only)	13.3kg

**BRUSHLESS™****40V 43cm (17") Self-propelled Mower****LPSX2-M-EU**

Voltage	40V
Mowing Functions	2-in-1(Bag, Mulch)
Cutting Capacity	43cm(17")
Height Adjustment	25-75mm,6 positions
Collection Bag	50L
Weight(Tool Only)	20kg
Drive Type	Variable Speed RWD Self-propelled

**BRUSHLESS™****40V 46cm (18") Self-propelled Mower****LSSX2-H-EU**

Voltage	40V
Mowing Functions	3-in-1 (Mulch, Bag and Side Discharge)
Cutting Capacity	46cm (18")
Height Adjustment	25-80mm,7 positions
Collection Bag	55L
Weight(Tool Only)	28.1kg
Drive Type	Variable Speed RWD Self-propelled

**BRUSHLESS™****40V 40cm (16") Chainsaw****CSX2-M2-EU**

Voltage	40V
No-Load Speed	11000RPM
Chain Speed	20m/s
Chain/ Bar Length	40cm (16")
Weight (Tool Only)	3.2kg

**BRUSHLESS™****40V 50cm(20") Hedge Trimmer****HTX2-M3-EU**

Voltage	40V
No Load Speed	3400SPM
Cutting Length	50cm (20")
Cutting Capacity	25.4mm
Weight (Tool Only)	2.9kg



**X2 40V Cordless 33cm (13")
Snow Shovel**
STX2-L-EU

Voltage	40V
Rated Output Power	750W Brushed
No Load Speed	1500/1700RPM
Clearing Width	33cm(13")
Depth of Snow Cut	15cm(5.9")
Throw Distance	3-6m(10-20Ft)
Max. Clearing Capacity	130kg/min(286Lbs/min)
Max.Working Time	20min/2*4ah
Weight (Tool Only)	5.3kg



BRUSHLESS™
**X2 40V Cordless
53cm(21") Snow Blower**
STX2-M1-EU

Voltage	40V
Rated Output Power(Motor)	1800W Brushless
No Load Speed	1400-1800RPM
Clearing Width	53cm(21")
Depth of Snow Cut	30cm(12")
Throw Distance	6-10m(20-33Ft)
Max. Clearing Capacity	300kg/min(661lbs/min)
Max.Working Time	15min/2*5ah
Weight (Tool Only)	16.3kg



BRUSHLESS™

**X2 40V Brushless 46cm (18")
Snow Blower**
STX2-M-EU

Voltage	40V
Rated Output Power	1500W Brushless
No Load Speed	1400-1800RPM
Clearing Width	46cm(18")
Depth of Snow Cut	20cm(8")
Throw Distance	6-10m(20-33Ft)
Max. Clearing Capacity	209kg/min(460lbs/min)
Max.Working Time	18min
Weight (Tool Only)	14.3kg



BRUSHLESS™

**40V 1190 m³/h (700CFM)
Leaf Blower**
BLAX2-M2-EU

Voltage	40V
Wind Speed	235km/h(5Ah) 186km/h(2.5Ah) 1190m³/h(5Ah)
Wind Volume	935m³/h(2.5Ah)
Weight (Tool Only)	2.7kg



BRUSHLESS™

**40V 70Bar (1015PSI)
Portable Washer**
HPWX2-M2-EU

Voltage	40V
Rated Pressure	70Bar (1015 PSI)
Bucket Volume	25L
Working Flow	3.8L/min
Weight (Tool Only)	9kg

 **SENIX**

X2 20V  LITHIUM-ION



LIGHT ON POUNDS

**HEAVY ON
POWER**



20V Battery & Charger

**B20X2****B25X2****B40X2****B50X2****B60X2****B80X2**

Voltage	20V	20V	20V	20V	20V	20V
Battery Chemistry	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion
Battery Capacity	2.0Ah	2.5Ah	4.0Ah	5.0Ah	6.0Ah	8.0Ah
Weight	0.4 kg	0.4 kg	0.67 kg	0.67 kg	1.06 kg	1.08 kg

Charging time parameter table

	2.0Ah	2.5Ah	4.0Ah	5.0Ah	6.0Ah	8.0Ah
2.0A Charger	65 min	85 min	135 min	160 min	195 min	260 min
4.0A Charger	35 min	45 min	65 min	85 min	105 min	140 min
6.0A Charger	35 min	45 min	50min	60 min	75 min	100 min
6.0A Dual-port charger Charging two batteries at same time	70 min	90 min	100 min	120 min	150 min	200 min
6.0A Dual-port charger Charging only one battery	35 min	45 min	50 min	60 min	75 min	100 min

20V Charger

Throughout the charging process, the charger designed by Atech has a built-in chip communication in the battery pack which actively controls current, voltage and temperature to extend the life of the battery.

**CHX2 2.0A****CHQX2 4.0A****CHQX2-M-EU 6.0A****CHDX2-M-EU 6.0A**
Dual-port charger

20V OUTDOOR POWER EQUIPMENT

Perfectly tailored to swiftly tackle tasks in the yard.



BRUSHLESS™

**20V 25cm (10") Chainsaw
CSX2-M1-EU**

Voltage	20V
Chain Speed	11m/s
Oiler	Automatic
Chain & Bar Length	25cm (10")
Weight (Tool Only)	2.5 kg



BRUSHLESS™

**20V 25cm (10") Chainsaw
CSX2-M-EU**

Voltage	20V
Chain Speed	8m/s
Oiler	Automatic
Chain & Bar Length	25cm (10")
Weight (Tool Only)	3.2kg



**20V Cordless 570m³/h (335 CFM)
Blower
BLAX2-M-EU**

Voltage	20V
Wind Speed	35m/s /5.0Ah /80MPH 30m/s/2.5Ah /70MPH
Wind Volume	595m³/h/5.0Ah (350CFM) 510m³/h/2.5Ah (300CFM)
Weight (Tool Only)	2.1kg



BRUSHLESS™

**20V 750m³/h (450CFM) Blower
BLAX2-M3-EU**

Voltage	20V
Wind Speed	45m/s /5.0Ah /100MPH 35m/s/2.5Ah /80MPH
Wind Volume	765m³/h(5.0Ah) (450CFM) 595m³/h(2.5Ah) (350CFM)
Weight (Tool Only)	2.46kg



20V Cordless 26cm (10'')
String Trimmer
GTX2-L-EU

Voltage	20V
No-Load Speed	8500RPM
Cutting Capacity	26cm (10'')
Line Type	1.6mm x1
Feeding System	Semi-automatic
Weight (Tool Only)	1.7kg



20V Cordless 26cm (10'')
String Trimmer
GTX2-M-EU

Voltage	20V
No-Load Speed	8500RPM
Cutting Capacity	26cm (10'')
Line Type	1.6mm x1
Feeding System	Semi-automatic
Weight (Tool Only)	2.0kg



20V Cordless 30.5cm (12'')
String Trimmer
GTX2-M2-EU

Voltage	20V
No-Load Speed	7000RPM
Cutting Capacity	30.5cm (12'')
Line Type	1.6mm x1
Feeding System	Semi-automatic
Weight (Tool Only)	2.15kg



20V cordless 45cm (18'')
Pole Hedge Trimmer
HTPX2-M-EU

Voltage	20V
Cutting Length	45cm (18'')
Tooth Space	28mm
Cutting Capacity	20mm
Strokes Per Minute	2300SPM
Collapsing Height	1.85 - 2.35 m
Angle Modulation	-60° / -30° / 0° / 30° / 60° / 90°
Blade Type	Laser-cut with Alu support
Weight (Tool only)	3.4kg



20V 32cm(12.6'')
Push Mower
LPPX2-L-EU

Voltage	20V
Mowing Functions	2-in-1(Bag, Mulch)
Cutting Capacity	32cm (12.6'')
Height Adjustment	25-65mm, 5 positions
Collection Bag	30L
Weight(Tool Only)	10.0kg



BRUSHLESS™
20V 38cm (15'')
String Trimmer
GTX2-M3-EU

Voltage	20V
No-Load Speed	6200RPM / 4900RPM
Cutting Capacity	38cm (15'')
Weight (Tool Only)	3.6kg
Line Type	2.0mm x2(0.08in*2)
Feeding System	Bump

**BRUSHLESS™**
20V 12cm (5") Pruning Saw
CSX2-M5-EU

Voltage	20V
No-Load Speed	4500RPM
Chain Speed	8m/s
Chain & Bar Length	12cm (5")
Weight (Tool Only)	1.1 kg

**BRUSHLESS™**
20V 38mm (1.5") Pruning Shear
GPSX2-M-EU

Voltage	20V
Cut Capacity	38mm (1.5")
Working Time	990cuts/2.5Ah/28mm
Weight (Tool Only)	1.05kg


20V Cordless 20cm (8") Grass Shear/Shrubber
GSX2-M-EU

Voltage	20V
Grass Shear	100mm
Hedge Shear	20cm (8")
Weight (Tool Only)	0.9kg


7.2V Cordless 96mm (4") Grass Shear
GSS2-L-EU

Power Source	Lithium-ion
Battery Voltage	7.2V
Battery Capacity	2000mAh
Grass Shear	96mm
Hedge Shear	150mm


20V Cordless 25cm (10") Pole Saw
CSPX2-M-EU

Voltage	20V
Chain Speed	5.2m/s
Chain & Bar Length	25cm (10")
Angle Modulation	-60° / -30° / 0° / 30° / 60
Collapsing Length	1.85 - 2.3m
Weight (Tool Only)	3.0kg


20V Cordless 47cm (18-1/2") Hedge Trimmer
HTX2-M-EU

Voltage	20V
Cutting Length	47cm (18")
Tooth Space	28mm
Cutting Capacity	20mm
Strokes Per Minute	2600SPM
Blade Type	Laser-cut with Alu support
Weight (Tool Only)	2.5kg


3.6V Cordless 80mm (3") Grass Shear
GSS1-L-EU

Voltage	3.6V
Grass Shear	80mm
Hedge Shear	115mm
Working Time	20min



Handheld Power Tools

Empower your projects with precision and efficiency using our extensive selection of power tools. From robust drills and impacts to versatile saws, our power tool category offers a wide range of high-performance devices to suit all projects.



BRUSHLESS™

20V 160Nm Impact Driver PDIX2-M4-EU

Voltage	20V
Chuck Size	6.35mm (1/4")
No Load Speed	0-2800RPM
Max. Fastening Torque	160Nm
Fastening Capacities	Machine screw: M4-M8 (5/32 - 5/16") Standard bolt: M5 - M16 (3/16 - 5/8") High tensile bolt: M5 - M14 (3/16 - 9/16")
Weight (Tool Only)	1.1kg



BRUSHLESS™

20V 180Nm 4-speed Impact Driver PDIX2-M2-EU

Voltage	20V
No Load Speed	0-1100/0-2100/0-3000/0-3300RPM
Impacts Per Minute	0-1100/0-2600/0-3600/0-3800IPM
Max. Fastening Torque	180Nm
Chuck Capacity	1/4" (6.35mm)
Fastening Capacities	Machine screw: M4-M8 (5/32 - 5/16") Standard bolt: M5 - M16 (3/16 - 5/8") High tensile bolt: M5 - M14 (3/16" - 1/2")
Weight (Tool Only)	0.9kg



BRUSHLESS™

20V 250Nm Impact Driver PDIX2-M5-EU

Voltage	20V
No Load Speed	0-1800/0-2700/0-3900RPM
Impacts Per Minute	0-1500 / 0-3000 / 0-4400IPM
Max. Fastening Torque	250Nm
Chuck Capacity	1/4" (6.35mm)
Fastening Capacities	Standard bolt: M5-M16(3/16"- 5/8") High tensile bolt: M5-M14(3/16"- 1/2")
Weight (Tool Only)	1.1kg



BRUSHLESS™

16.8V 40Nm Drill Driver PDDS4-M-EU

Voltage	16.8V
Motor Type	Brushless
No Load Speed	0-600/0-1700RPM
Max. Fastening Torque	40Nm
Torque Settings	21+1
Drill Chuck	10mm
Drilling Capacity	Steel: 10mm Wood: 25mm
Weight (Tool Only)	740g

**BRUSHLESS™****20V 13mm (1/2") Drill/Driver
PDDX2-M2-EU**

Voltage	20V
Torque	60Nm
No-Load Speed	0-600/0-2000RPM
Chuck Style	13mm(1/2")
Clutch Settings	17+1
Weight (Tool Only)	1.2kg

**BRUSHLESS™****20V 13mm (1/2") Drill/Driver
PDDX2-M4-EU**

Voltage	20V
Torque	60Nm
No-Load Speed	0-500 / 0-2200RPM
Chuck Style	13mm(1/2")
Clutch Settings	20+1
Weight (Tool Only)	0.95kg

**BRUSHLESS™****20V 13mm (1/2") Hammer Drill
PDHX2-M2-EU**

Voltage	20V
Torque	60Nm
No-Load Speed	0-600/0-2000RPM
No-Load BPM	0-34,000BPM
Chuck Style	13mm(1/2")
Clutch Settings	19+3
Weight (Tool Only)	1.27kg

**BRUSHLESS™****20V 10mm (3/8") Drill Driver
PDDX2-M3-EU**

Voltage	20V
No Load Speed	0-500/0-1800RPM
Max. Fastening Torque	50Nm
Chuck Capacity	10mm(3/8")
Drilling Capacity	Steel: 10mm Wood: 25mm
Weight (Tool Only)	0.95kg

**BRUSHLESS™****20V 24mm (15/16") SDS Plus
Rotary Hammer
PDRX2-M4-EU**

Voltage	20V
Chuck Style	SDS Plus
No Load Speed	0-980RPM
Blows Per Minute	0-4350BPM
Drilling Capacity	Concrete:24mm (15/16") Steel:13mm Wood:27mm
Weight (Tool Only)	2.9kg

**BRUSHLESS™****20V 17mm (11/16") SDS Plus
Rotary Hammer
PDRX2-M2-EU**

Voltage	20V
Chuck Style	SDS Plus
No-Load Speed	0-810RPM
Blows Per Minute	0-4500BPM
Fastening Capacities	Concrete:17mm (11/16") Steel:10mm Wood:13mm
Weight (Tool Only)	1.7kg


BRUSHLESS™
**20V 12.7mm(1/2") 495Nm
Impact Wrench
PDWX2-M2-EU**

Voltage	20V
Fastening Torque	330Nm
Nut-busting Torque	495Nm
Square Drive	12.7mm(1/2")
No-Load Speed	0-1000/0-1800/0-2600/0-3200RPM
Impacts Per Minute	0-1800/0-2600/0-3400/0-4000IPM
Settings	4 Speeds + Reverse Auto-Stop Mode
Fastening Capacities	Standard bolt: M10-M20 High tensile bolt: M10-M16
Weight (Tool Only)	1.2kg


BRUSHLESS™
**20V 9.5mm(3/8") 495Nm
Impact Wrench
PDWX2-M11-EU**

Voltage	20V
Fastening Torque	330Nm
Nut-busting Torque	495Nm
Square Drive	9.5mm(3/8")
No-Load Speed	0-1000/0-1800/0-2600/0-3200RPM
Impacts Per Minute	0-1800/0-2600/0-3400/0-4000IPM
Settings	4 Speeds + Reverse Auto-Stop Mode
Fastening Capacities	Standard bolt: M10-M20 High tensile bolt: M10-M16
Weight (Tool Only)	1.2kg


BRUSHLESS™
**20V 1000Nm Mid-Torque
Impact Wrench
PDWX2-M7-EU**

Voltage	20V
Fastening Torque	750Nm
Nut-busting Torque	1000Nm
Square Drive	12.7mm(1/2")
No-Load Speed	0-1000/0-1500/0-2300RPM
Impacts Per Minute	0-1500/0-2000/0-3000IPM
Settings	3 Speeds + Reverse Auto-Stop Mode
Fastening Capacities	Standard bolt: M10-M24 High tensile bolt: M10-M16
Weight (Tool Only)	1.9kg


BRUSHLESS™
**20V 1490Nm Impact Wrench
PDWX2-M8-EU**

Voltage	20V
No Load Speed	0-1200/0-1800/0-1800/0-1800RPM
Impacts Per Minute	0-1600/0-2400/0-2400/0-2400IPM
Max. Fastening Torque	1000Nm
Nut-busting Torque	1490 Nm
Square Drive	12.7mm (1/2")
Fastening Capacities	Standard bolt: M12-M30 High tensile bolt: M10-M24
Weight (Tool Only)	2.85kg


BRUSHLESS™
**20V 1900Nm High Torque
Impact Wrench
PDWX2-M4-EU**

Voltage	20V
Fastening Torque	1350Nm
Nut-busting Torque	1900Nm
Square Drive	12.7mm(1/2")
No-Load Speed	0-750/0-1500/0-1800RPM
Impacts Per Minute	0-1150/0-2100/0-2400IPM
Settings	3 Speeds + Reverse Auto-Stop Mode
Fastening Capacities	Standard bolt: M12-M36 High tensile bolt: M10-M27
Weight (Tool Only)	2.85kg


BRUSHLESS™
**20V 1490Nm High Torque
Impact Wrench
PDWX2-M3-EU**

Voltage	20V
Fastening Torque	1000Nm
Nut-busting Torque	1490Nm
Square Drive	12.7mm(1/2")
No-Load Speed	0-750/0-1500/0-1800RPM
Impacts Per Minute	0-1150/0-2100/0-2400IPM
Settings	3 Speeds + Reverse Auto-Stop Mode
Fastening Capacities	Standard bolt: M12-M30 High tensile bolt: M10-M24
Weight (Tool Only)	2.7kg



BRUSHLESS™
**20V 2000Nm High Torque
 Impact Wrench
 PDWX2-M5-EU**

Voltage	20V
Fastening Torque	1500Nm
Nut-busting Torque	2000Nm
Square Drive	19mm(3/4")
No-Load Speed	0-750/0-1500/0-1800RPM
Impacts Per Minute	0-1150/0-2100/0-2400IPM
Settings	3 Speeds + Reverse Auto-Stop Mode
Fastening Capacities	Standard bolt: M12-M30 High tensile bolt: M10-M24
Weight (Tool Only)	2.95kg



BRUSHLESS™
**20V 2450Nm Impact Wrench
 PDWX2-M6-EU**

Voltage	20V
No Load Speed	0-1000/0-1100/0-1400/0-1650RPM
Impacts Per Minute	0-1330/0-1620/0-2100/0-2450IPM
Max. Fastening Torque	2000 N.m
Nut-busting Torque	2450 N.m
Square Drive	25.4mm (1")
Fastening Capacities	Standard bolt:M12-M42 High tensile bolt:M10-M32
Weight (Tool Only)	4.8kg



BRUSHLESS™
**20V 75Nm Ratchet Wrench
 PDWX2-M12-EU**

Voltage	20V
No-Load Speed	0-250RPM
Max. Fastening Torque	75 Nm
Anvil Size	9.5mm (3/8")
Fastening Capacities	Standard bolt:M6-M14 High tensile bolt:M6-M12
Weight (Tool Only)	1.3kg



BRUSHLESS™
**20V 75Nm Ratchet Wrench
 PDWX2-M13-EU**

Voltage	20V
No-Load Speed	0-250RPM
Max. Fastening Torque	75 Nm
Anvil Size	12.7mm (1/2")
Fastening Size	Standard bolt:M6-M14 High tensile bolt:M6-M12
Weight (Tool Only)	1.3kg



BRUSHLESS™
**20V Jig Saw
 PSJX2-M3-EU**

Voltage	20V
Stroke Length	23mm
No Load Speed	0-3000SPM
Cutting Capacity	Wood: 135mm Steel : 10mm
Weight (Tool Only)	1.9kg



BRUSHLESS™
**20V 22mm One-Handed
 Reciprocating Saw
 PSRX2-M2-EU**

Voltage	20V
Stroke Length	22mm
No-Load Speed	0-3000SPM
Cutting Capacity	Wood: 255mm Mild Steel Pipe: 130mm
Weight (Tool Only)	1.7kg



**20V 20mm (13/16")
Reciprocating Saw
PSRX2-L1-EU**

Voltage	20V
Stroke Length	20mm(13/16")
No Load Speed	0-2700SPM
Cutting Capacity	Wood: 50 mm Mild Steel Pipe: 50mm
Weight (Tool Only)	1.1 kg



BRUSHLESS™
**20V 26mm (1")
Reciprocating Saw
PSRX2-M3-EU**

Voltage	20V
Stroke Length	26mm(1")
No-Load Speed	0-3200SPM
Cutting Capacity	Pine Wood: 255mm Mild Steel Pipe: 130mm
Weight (Tool Only)	2.6 kg



**20V 13mm (1/2")
Reciprocating Saw
PSRX2-M1-EU**

Voltage	20V
Stroke Length	13mm (1/2")
No-Load Speed	0-2800SPM
Cutting Capacity	Wood: 50mm Mild Steel Pipe: 50mm
Weight (Tool Only)	1.2kg



BRUSHLESS™
**20V 185mm (7-1/4") Circular Saw
PSCX2-M3-EU**

Voltage	20V
No-Load Speed	4200RPM
Saw Blade Diameter	185mm (7-1/4")
Cutting Capacity	0°: 62 mm/45°: 44mm
Weight (Tool Only)	2.8 kg



BRUSHLESS™
**X2 20V 140mm (5-1/2")
Circular Saw
PSCX2-M4-EU**

Motor type	Brushless
No Load Speed	6900RPM
Saw Blade Diameter	140mm(5-1/2")
Cutting Capacity	0°: 51mm 45°: 27mm



BRUSHLESS™
**X2 20V 165mm (6-1/2")
Circular Saw
PSCX2-M5-EU**

Motor Type	Brushless
No Load Speed	5000RPM
Saw Blade Diameter	165mm(6-1/2")
Cutting Capacity	0°: 65mm 45°: 42mm

**BRUSHLESS™****20V 165mm(6-1/2")
Circular Saw****PSCX2-M6-EU**

Voltage	20V
Saw Blade Diameter	165mm
No Load Speed	5000RPM
Cutting Capacity	0°: 56mm 45°: 41mm
Weight (Tool Only)	2.3 kg

**BRUSHLESS™****20V 115mm(4-1/2")
Angle Grinder****PAX2-M1-EU**

Voltage	20V
No-Load Speed	3000/4500/6000/8500RPM
Switch Style	Paddle Switch
Spindle Thread	M14
Disc Diameter	115mm(4-1/2")
Weight (Tool Only)	1.7kg

**BRUSHLESS™****20V 115mm Angle Grinder
PAX2115-M2-EU**

Voltage	20V
No-Load Speed	8500RPM
Switch Style	Locking Slide
Spindle Thread	M14
Disc Diameter	115mm
Weight (Tool Only)	1.7kg

**BRUSHLESS™****20V 125mm (5") Angle Grinder
PAX2125-M2-EU**

Voltage	20V
No-Load Speed	8500RPM
Switch Style	Locking Slide
Spindle Thread	M14
Disc Diameter	125mm (5")
Weight (Tool Only)	1.7kg

**BRUSHLESS™****20V 3 speeds Random Orbit
Sander
PSX2-M1-EU**

Voltage	20V
No-Load Speed	7000/9500/11000 OPM
Pad Size	125mm(5")
Settings	3 Speeds
Orbit Diameter	3.2mm
Weight (Tool Only)	0.9kg

**20V Detail Sander
PSX2-M3-EU**

Voltage	20V
No Load Speed	11000 OPM
Pad Size	136mmx95.5mm
Orbit Diameter	1.6mm
Weight (Tool Only)	0.8kg



**20V Cordless 127m³/h (75CFM)
Jobsite Blower/Vacuum**
BLVX2-M-EU

Voltage	20V
Air Speed	0-81m/s
Air Volume	127m³/h(75CFM)
Settings	3 Speeds
Weight(Tool Only)	1.4kg



20V Hybrid Electric Cooler/Warmer
PFX2-M2-EU

AC	100V-240V/50-60Hz
Cigarette Socket	DC12V/24V
Battery Pack	18V/2x18V
Temperature Range	-18 °C ~60 °C
Size	Holds 34 cans or 24 water bottles
Weight(Tool Only)	16.5kg



**20V Power K-Cup
Coffee Maker**
CMX2-M2-EU

Voltage	20V
Brewing Time	6-8 min
Tank Capacity	280 ml
Weight (Tool Only)	1.5kg



BRUSHLESS™

**20V 6 Speeds Oscillating
Multi-Tool**
POX2-M-EU

Voltage	20V
No-Load Speed	10000/12000/14000/16000/ 18000/20000 OPM
Settings	6 Speed
Oscillation Arc	2x2°
Weight (Tool Only)	1.1kg



BRUSHLESS™



20V CREASE GUN
GGX2-M1-EU

Voltage	20V
Max Pressure	10000PSI
Flow Rate	3 oz/min (88.7 ml/min) 5 oz/min (147.85 ml/min)
Grease Capacity	455ml
Hose Length	125.7cm
Weight(Tool Only)	1.2kg



**20V Power K-Cup
Coffee Maker**
CMX2-M5-EU

Voltage	20V
Brewing Time	DC 6-8 min/AC 3-5 min
Tank Capacity	280 ml
Weight (Tool Only)	1.7kg



20V DC Coffee maker
CMX2-M6-EU

Voltage	20V
Brewing Time	6-8 min
Tank Capacity	240 ml
Weight (Tool Only)	1.3kg



BRUSHLESS™
20V Clamp Fan
FNX2-M2-EU

Voltage	20V
Fan Diameter	10cm (4")
Speed Setting	2 speed
Air Volume	2.1m ³ /min (75CFM) 4.2m ³ /min (150CFM)
Air Speed	(9m/s) (4.5m/s)
Noise Level	65dB
Pivoting angle of head	290°
Pivoting angle of bracket	300°
Running Time	18h on high speed (5.0Ah)
Weight (Tool Only)	0.4kg



20V 200 Lumens FlashLight
PLX2-M-EU

Voltage	20V
Light Output	200LM
Runtime	34 hours (5.0Ah battery)
Weight (Tool Only)	0.2kg



20V Hybrid Jobsite Fan
FNX2-M1-EU

Voltage	20V/100V-240V(50/60Hz)
Fan Diameter	19cm (7.5")
USB Port	TypeC:5V 2.1A/TypeA:5V 2.1A
Air Volume	0-21.4m ³ /min (0-755CFM)
Air Speed	(12.5m/s)(45km/h)
Noise Level	75dB
Pivoting angle of head	210°
The lumen of the lamp	80LM (low)/160LM(High)
Weight (Tool Only)	2.3kg
Single Pack Runtime	4h on high speed(5Ah)




20V Task Light
PLX2-M3-EU

Voltage	20V
Light Output	3000LM Max
Lighting Adjustment	4-Mode
Weight (Tool Only)	1.2kg



- User-Friendly LED Display
- Superior Connectivity
Fully connected to the APP.





LED DISPLAY

With the digital LED display, users can easily know what the mower is doing, and follow the trouble shooting instructions in APP, mower faults can be easily eliminated.



HOSE WASHABLE IPX5

Simply clean the robot mower using your garden hose. And you are ready to go!



APP CONNECTIVITY (BLUETOOTH&WIFI)

Fully connected to the APP. You can execute the most common commands such as start, stop, and get status updates from Robotic mower via APP.



ALWAYS UP TO DATE

For all robot mower models, you can easily update the firmware of your robot mower yourself, using OTA technology.

Cutting Capacity	A027013-300m²	A02713-500m²	A027013-800m²	A027013-1000m²	A027019-1500m²	A027019-2000m²
Fence Definition	Perimeter wire	Perimeter wire	Perimeter wire	Perimeter wire	Perimeter wire	Perimeter wire
Type of Cut	Random	Random	Random	Random	Random	Random
Max Slope	36% (20°)	36% (20°)	36% (20°)	36% (20°)	36% (20°)	36% (20°)
Battery Pack	20V, 2.0Ah	20V, 2.5Ah	20V, 4.0Ah	20V, 4.0Ah	20V, 5.0Ah	20V, 8.0Ah
Charge Current	2A	2A	2A	3A	3A	3A
Motor Type	Brushless	Brushless	Brushless	Brushless	Brushless	Brushless
Cutting System	3 pivoted blades	3 pivoted blades	3 pivoted blades	3 pivoted blades	3 pivoted blades	3 pivoted blades
Cutting Width	18cm	18cm	18cm	18cm	22.5cm	22.5cm
Cutting Height	30-60mm	30-60mm	30-60mm	30-60mm	30-60mm	30-60mm
Water Protection	Hose washable IPX5	Hose washable IPX5	Hose washable IPX5	Hose washable IPX5	Hose washable IPX5	Hose washable IPX5
Noise level	61dB	61dB	61dB	61dB	65dB	65dB



SENIX

40L[®]



ALL MUSCLE

NO FUSS





Why choose a 4-Cycle?

Quantitative Lubrication – Ultimate 4-Cycle Engine

Patented 4QL technology is unidirectional quantitative lubrication that prevents flooding, leaks, and keeps the motor lubricated in any direction.



All-Direction Use



Mix-Free Fueling

No Mixing of Fuel and Petrol



ECO

Lower Emissions*



Lower Noise Level*



Light Weight



Up to 50% lower emissions compared to 2-stroke engines.



26.5cc Grass Trimmer
GTC4QL-L-EU

Engine Displacement	26.5cc
Running Watts	650W
No-Load Speed	7000RPM
Cutting Capacity	43cm
Line Type	2.0mmx2
Line Feed System	Bump-feed
Fuel Tank Capacity	280ml(9.88oz)
Weight (Tool Only)	4.7kg(10.3lbs)



26.5cc Grass Trimmer
GTS4QL-L-EU

Engine Displacement	26.5cc
Running Watts	650W
No-Load Speed	7000RPM
Cutting Capacity	45cm
Line Type	2.4mmx2
Line Feed System	Bump-feed
Fuel Tank Capacity	320ml(10.82oz)
Weight (Tool Only)	4.7kg(10.3lbs)



31cc Brush cutter
GTBC4QL-M-EU

Engine Displacement	31cc
Running Watts	800W
No-Load Speed	7000RPM
Cutting Capacity	45cm
Line Type	2.4mm twisted line
Line Feed System	Bump-feed
Fuel Tank Capacity	320ml(10.82oz)
Weight (Tool Only)	5.4kg(11.84lbs)



26.5CC Pole Saw
CSP4QL-L-EU

Engine Displacement	26.5cc
Running Watts	650W
No-Load Speed	8600RPM
Total Length	2680mm
Chain Bar	20cm(Oregon)
Fuel Tank Capacity	320ml(10.82oz)
Weight (Tool Only)	5.7kg(12.6lbs)



**46CC 45cm (18") Gasoline
Handheld Brush Cutter**
GTBCU4QL-H-EU

Engine Power	1300w
Cutting Capacity	45cm
Line Feeding	Dual Bump-feed
Blade Cutting Diameter	30.5cm
Fuel Tank Capacity	900ml
Oil Tank Capacity	120ml
Working Time	50 minutes/One oli tank



37cc Earth Auger
EA4QL-L-EU

Engine Displacement	37cc
Running Watts	1000W
Max. revolutions	24RPM
Gear Ratio	29 : 1
Auger Bit Type	Single blade
Bit Diameter(in)	200mm
Fuel Tank Capacity	900ml
Weight (Tool Only)	11.8kg



42.7CC 255mm Brush cutter
BCUTS-M3-EU

Engine Displacement	42.7CC 1.2kw
Engine Rated Speed	7500RPM
Cutting Diameter	255mm(blade)
Fuel Mixture Ratio	Petrol: Two-cycle Oil (40:1)
Fuel Tank Capacity	900ml
Carburetor	Diaphragm
Easy To Start	Yes
Weight (Tool Only)	7.4kg



**42.7CC 255mm (10")
GAS Brushcutter**
BCUTS-M2-EU

Engine Power	1.47KW
Engine Type	2-Stroke Engine
Displacement	41.5cc
Blade Cutting Diameter	255mm
Fuel Tank Capacity	1200ml
Fast To Start	Yes
Weight (Tool Only)	7.9kg



26.5cc Hedge Trimmer
HT4QL-M-EU

Engine Displacement	26.5cc
Running Watts	650W
No-Load Speed	7000RPM
Blade Length	48cm
Tooth Space	35mm
Line Feed System	Bump-feed
Fuel Tank Capacity	280ml(9.88oz)
Weight (Tool Only)	4.9kg(10.8lbs)



**26.5cc 480mm(19")
Hedge trimmer**
HT4QL-L-EU

Engine type	4 stroke air cooled
Power	650W
Displacement	26.5cc
Cutting Length	480mm(19")
Blade Action	Dual action
Tooth Space	35mm



49CC Backpack blower
BLB4QL-M-EU

Engine Displacement	49cc
Running Watts	1600W
No-Load Speed	7000RPM
Wind Speed	90m/s
Air Volume	11.6m ³ /min
Fuel Tank Capacity	1250ml(42.27oz)
Weight (Tool Only)	8.5kg(18.7lbs)



**46CC 40cm(16")
Cultivator/Tiller**
TL4QL-L1-EU

Engine Displacement	46cc
Running Watts	1400W
No-Load Speed	250RPM
Working Width	40cm(16")
Working Depth	20cm
Fuel Tank Capacity	800ml(27.05oz)
Weight (Tool Only)	14.5kg(31.9lbs)



**46cc 45cm (18") Backpack
Grass Trimmer/Brush cutter**
GTBCPU4QL-H-EU

Engine power	1680W
Cutting Capacity	45cm(18")
Displacement	46cc
Line Feeding	Dual Bump-feed
Blade Cutting Diameter	25.5cm
Fuel Tank Capacity	900ml
Oil Tank Capacity	120ml



**161CC 51cm (20")
Lawnmower**
LSPG-M13-EU

Engine	OHV.4-stroke air-cooled,BS DOV750 engine with brake
Displacement	161CC 3.4HP
Power	2.5KW
No-load Speed	2800RPM
Fuel Tank	1.0L
Oil Tank	0.6L
Deck	Metal Deck
Cutting Width	510mm
Cutting Height Adjustment	8 Stage Central
Cutting Height	20mm~80mm
Blade	Four swing blade
Grass Bag	60L
Weight (Tool Only)	28.3kg



**144CC 46cm (18")
Lawnmower**
LSPG-M9-EU

Engine	OHV,4-stroke
Displacement	144.3CC 3.4HP
Power	2.5KW
No-load Speed	3100RPM
Fuel Tank	0.8L
Oil Tank	0.5L
Deck	Metal Deck
Cutting Width	460mm
Cutting Height Adjustment	8 Stage Central
Cutting Height	20mm-80mm
Blade	Two swing blade
Grass Bag	60L
Weight (Tool Only)	25.5kg



**170CC 46cm (18")
Lawnmower**
LSPG-M10-EU

Engine	OHV,4-stroke
Displacement	170.1CC 3.8HP
Power	2.8KW
No-load Speed	3100RPM
Fuel Tank	0.8L
Oil Tank	0.5L
Deck	Metal Deck
Cutting Width	460mm
Cutting Height Adjustment	8 Stage Central
Cutting Height	20mm-80mm
Blade	Four swing blade
Grass Bag	60L
Weight (Tool Only)	26.3kg



58CC 45cm(18") Chain Saw
CSTS-M-EU

Engine Displacement	58CC
Running Watts	2300W
No-Load Speed	8500RPM
Engine Type	2-stroke, Air-Cooled
Bar Length	45cm(18")
Chain Speed	22m/s
Fuel Tank Capacity	550ml
Oil Tank Capacity	260ml
Weight (Tool Only)	5.6kg



54CC 51cm (20") Chain Saw
CSTS-M3-EU

Engine Displacement	54.5CC 2.3kw
Engine Idle Speed	3000RPM
Engine High Speed	11500RPM
Bar Length	51cm(20")
Fuel Mixture Ratio	2-stroke Oil(25:1)
Fuel Tank Capacity	550ml
Oil Tank Capacity	260ml
Easy to start	Yes
Weight (Tool Only)	6.5kg



49CC 40cm (16") Chain Saw
CS4QL-L-EU

Engine Displacement	49cc
Running Watts	1600W
No-Load Speed	7500rpm
Bar Length	40cm(16")
Chain Speed	18m/s
Fuel Tank Capacity	400ml(13.53oz)
Weight (Tool Only)	5.6kg(12.3lbs)



58CC 46cm (18") Chain Saw
CSE23.0-M-EU

Engine Displacement	58cc
Engine Type	2 stroke air cooled
Power	2.4kw
Guide Bar&Chain	18" Chinese



2000W Generators
GN4QL-M2-EU

Max. Power (kW)	2.0
DC Output	12V/8.3A
Rated Voltage (V)	220/230
Running Time (Full load)(H)	3
Running Time (1/2 load)(H)	4.5



1100W Generators
GN4QL-M3-EU

Max. Power (kW)	1.1
DC Output	12V/8.3A
Rated Voltage (V)	220/230
Running Time (Full load)(H)	3.5
Running Time (1/2 load)(H)	6



 **SENIX** | *AC Corded*

HOOKED UP TO

ENDLESS POWER




AC-Corded

Massive, constant power for complete control of your landscape.

 **SENIX®**

AC Corded



AC



AC



900W Corded 100mm (4'')
Angle Grinder Rear Switch
PAE8.5-M3-EU

Rated Power	900W
Max. Disc Diameter	100mm(4'')
Spindle Thread	M10
Rear Switch	



900W Corded 100mm(4'')
Angle Grinder Paddle Switch
PAE9.0-M-EU

Rated Power	900W
Max. Disc Diameter	100mm(4'')
Spindle Thread	M10
Weight(Tool Only)	2.4kg
Rear Switch	



BRUSHLESS™
1050W Brushless
100mm (4'') Angle Grinder
PAE10.5-H-EU

Motor Type	Brushless
Rated Power	1050W
Cutting Diameter	100mm(4'')
Spindle Thread	M10



1010W Corded 125mm (5'')
Angle Grinder
PAE10.1-M1-EU

Rated Power	1010W
Max. Disc Diameter	125mm(5'')
Spindle Thread	M14
Weight(Tool Only)	1.6kg



BRUSHLESS™
AC 1200W 125mm (5'')
Angle Grinder
PAE12-H-EU

Voltage	220V-240V 50-60Hz
Motor Type	Brushless
Rated Power	1200W
Cutting Diameter	125mm (5'')
No-Load Speed	10000RPM
Thread of Output Shaft	M14
Weight(Tool Only)	2.3kg



1800W Corded 180mm (7'')
Angle Grinder
PAE18.0-M-EU

Rated Power	1800W
Max. Disc Diameter	180mm(7'')
Spindle Thread	M14
Weight(Tool Only)	5.4kg



**2200W Corded 230mm (9")
Angle Grinder**
PAE22.0-M-EU

Rated Power	2200W
Max. Disc Diameter	230mm(9")
Spindle Thread	M14
Weight(Tool Only)	5.4kg



**AC 2300W 230mm (9")
Angle Grinder**
PAE23-M1-EU

Voltage	220-240V/50-60Hz
Power	2300W
No-load speed	6500RPM
Max. Disc Diameter	230mm(9")
Spindle Thread	M14
Weight(Tool Only)	5.4kg



BRUSHLESS™
**AC 2600W 230mm (9")
Angle Grinder**
PAE26-H-EU

Voltage	220V~240V 50-60Hz
Motor Type	Brushless
Rated Power	2600W
Cutting Diameter	230mm (9")
No-Load Speed	5700RPM
Thread of Output Shaft	M14
Weight(Tool Only)	6kg



**1500W Corded 115mm (4-1/2")
Marble Cutter**
TSE15-M-EU

Power	1500W
Wheel Diameter	115mm (4-1/2")
Max Cutting Capacity	34mm
Weight(Tool Only)	3.6kg



**1400W Corded 185mm (7-1/4")
Circular Saw**
PSCE14-M-EU

Power	1400W
Cutting Capacity	90°: 65mm 45°: 44mm
Blade Diameter	185mm (7-1/4")
Weight(Tool Only)	3.7kg



**AC 1600W Corded
Rotary Hammer**
PDRE16.0-M-EU

Voltage	110-230V ~50/60Hz
Power	1600W
No-load speed	630RPM
Max Impact Rates	3800BPM
Concrete	42mm
Weight(Tool Only)	7.3kg



**450W Corded 10mm (3/8")
Drill Driver**

PDDE4.5-M-EU

Power	450W
Chuck Capacity	10mm(3/8")
Capacity(mm)	Wood:25mm Metal:10mm
Weight(Tool Only)	1.4kg



**800W Corded 26mm (1")
Rotary Hammer**

PDRE08-M-EU

Power	800W
Impact Energy	3.0J
Functions	3
Capacity(mm)	Wood:30mm Metal:13mm
Weight(Tool Only)	2.6kg



**1050W Corded 26mm (1")
Rotary Hammer**

PDRE10.5-M-EU

Power	1050W
Impact Energy	4.5J
Max. Drilling Capacity	Concrete 26mm(1")
Weight(Tool Only)	4.2kg



**1700W Corded
Demolition Hammer**

DHE17.0-M-EU

Power	1700W
Impact Joules	55J
Machine Size	710x170x305mm
Weight(Tool Only)	14.9kg



**550W/750W Corded
13mm (1/2") Impact Drill**

**PDHE5.5-M-EU/
PDHE7.5-M-EU**

Power	550W/750W
Chuck Capacity	13mm(1/2")
Capacity(mm)	Wood:25 Metal:13 Concrete:13
Weight(Tool Only)	1.9kg



**900W Corded 32mm (1-1/4")
Rotary Hammer**

PDRE09-M-EU

Power	1000W
Impact Energy	3.2J
Functions	3
Capacity(mm)	Wood:30mm Metal:13mm
Weight(Tool Only)	3.1kg



**1300W Corded 13mm (1/2")
Demolition Hammer**

DHE13.0-M-EU

Power	1300W
Impact Joules	20J
Chuck Capacity	13mm(1/2")
Weight(Tool Only)	6.8kg



**AC 2400W 355mm (14")
Corded Cut-off Saw**
COSE24.0-M1-EU

Voltage	230V 50Hz
Power	2400W
Bore diameter	25.4mm
No Load Rates	3900RPM
Saw blade diameter	355mm (14")
Weight (Tool Only)	19kg



**AC 1800W 7J Corded
Rotary Hammer**
PDRE18.0-M-EU

Voltage	230V 50Hz
Power	1800W
Capacity	Stell:13mm, Wood:42mm Concrete 42mm
Max Impact Rates	4400BPM
Weight (Tool Only)	5.2kg



**AC 2600W Electric
Silent Shredder**
SDE28-M-EU

Voltage	230-240V 50Hz
Power	S1:2300W/S6:2800(P40)W
Cutting Diameter	45mm
No-Load Speed	50RPM
Cable Length	Built-in plug
Weight (Tool Only)	19.2kg



**AC 2400W 70L Vacuum
Cleaner**
VCE24.0-M-EU

Voltage	220-240V-50/60Hz
Power	2400W
Capacity	70L
Vacuum	17Kpa
Hose DIA	40mm
Noise	82db
Weight (Tool Only)	19kg



**AC 3100W 190bar (2755PSI)
High Pressure Washer**
HPWE31.0-M-EU

Voltage	220-240V-50Hz
Power	3100W
Max.Flow	11.0L/min
Max. Pressure	190bar (2755 PSI)
Weight (Tool Only)	25.6kg



**AC 3100W 190bar (2755PSI)
High Pressure Washer**
HPWE31.0-M1-EU

Voltage	220-240V-50Hz
Power	3100W
Max.Flow	11.0L/min
Max. Pressure	190bar (2755 PSI)
Rated Pressure	130bar
Weight (Tool Only)	28.8kg



**2000-PSI 1.2-GPM Cold Water
Electric Pressure Washer**

HPWE13-M2

Voltage	120V-60Hz
Rated Power(Amperage)	13A, Universal motor
Pump Type	Axial cam
Rated Pressure	2000PSI
Rated Gallons per Minute	1.2GPM
Weight(Tool Only)	23.9Lbs(10.8kg)



**2300-PSI 1.2-GPM Cold Water
Electric Pressure Washer**

HPWE14-M

Voltage	120V-60Hz
Rated Power(Amperage)	14A Universal Motor
Pump Type	Axial cam
Rated Pressure	2300PSI
Rated Gallons Per Minute	1.2 GPM
Hose Length	25 Feet(7.6m)
Cord Length	35 Feet(10.7m)
Wheel Size	8"(20cm)
Included Accessories	5-Quick connect nozzles (15° 25°,40°,Soap and turbo),High-Pressure Hose, Needle clean-out tool,Metal wand
Maximum Inlet Water Temperature	Cold-104 °F (40 °C)
Weight(Tool Only)	35 Lbs (15.9kg)



**2700-PSI 2.5-GPM Cold Water
Electric Pressure Washer**

HPWE15-H

Voltage	120V-60Hz
Rated Power(Amperage)	15A/Brushless motor
Pump Type	Axial cam
Max Pressure	2700PSI
Max Gallons Per Minute	2.5 GPM (100PSI with AquaSurge)
Rated Gallons Per Minute	1.1GPM (Higher PSI)
Hose Length	25 Feet(7.6m)
Cord Length (Feet)	35 Feet(10.7m)
Wheel Size	10" (25cm)
Included Accessories	6-Quick connect nozzles(15° 25°, 40°,AquaSurge,Soap and turbo) , High-Pressure Hose, Needle clean-out tool,Metal wand
Maximum Inlet Water Temperature	Cold-104 °F (40 °C)
Weight(Tool Only)	45 Lbs(20.4kg)



**3000-PSI 2.5-GPM Cold Water
Electric Pressure Washer**

HPWE15-H1

Voltage	120V-60Hz
Rated Power(Amperage)	15A/Brushless motor
Pump Type	Axial cam
Max Pressure	3000PSI
Max Gallons Per Minute	2.5 GPM(100PSI with AquaSurge)
Rated Gallons Per Minute	1.1 GPM (Higher PSI)
Hose Length	25 Feet(7.6m)
Cord Length (Feet)	35 Feet(10.7m)
Wheel Size	10" (25cm)
Included Accessories	6-Quick connect nozzles (15° 25°, 40°,AquaSurge,Soap and turbo) , High-Pressure Hose, Needle clean-out tool,Metal wand
Maximum Inlet Water Temperature	Cold-104 °F (40 °C)
Weight(Tool Only)	42 Lbs (19kg)



**550W Corded
20mm (13/16") Jig Saw
PSJE5.5-M-EU**

Power	550W
Stroke Length	20mm(13/16")
Cutting Capacity	Wood: 65mm Aluminium: 10mm Steel:8mm
Weight(Tool Only)	2.1kg



**750W Corded
20mm (13/16") Jig Saw
PSJE7.5-M-EU**

Power	750W
Stroke Length	20mm(13/16")
Cutting Capacity	Wood:65mm Aluminium: 10mm Steel:8mm
Weight(Tool Only)	2.1kg



**600W 82mm (3-1/4")
Planer
PPE6.0-M-EU**

Power	600W
No-load Speed	16300RPM
Max Planing Width	82mm(3-1/4")
Max Planing Depth	0-2mm
Weight(Tool Only)	3.2kg



**510W Corded
6mm (1/4") Router
PRE5.1-M-EU**

Power	510W
Cutter Head Diameter	6mm(1/4")
Weight (Tool Only)	1.6kg
Machine Size	215*72*95mm



**240W Corded 100x115mm
(4"x4-1/2") Sheet Sander
PSE2.4-M-EU**

Power	240W
Sanding Pad Dia	100X115mm(4"X4-1/2")
No-load Speed	13500RPM
Machine Size	165*125*145mm
Weight(Tool Only)	3.2kg



**350W Corded
125mm (5") Orbital Sander
PSE3.5-M-EU**

Power	350W
Sanding Pad Dia	125mm(5")
Weight (Tool Only)	1.5kg
Machine Size	165*125*145mm



120A Electric Welding
PEW-120A

Rated Input Voltage	AC 220V
Frequency	50/60Hz Rated
Input Current	24A
Output Current	20-120A
Rated Duty Cycle	20% @120A@40°C



140A Electric Welding
PEW-140A

Frequency	50/60Hz Rated
Input Current	29A
Output Current	20-140A
Rated Duty Cycle	20% @140A@40°C



160A Electric Welding
PEW-160A

Rated Input Voltage	AC 240V
Frequency	60Hz Rated
Input Current	30A at 240V
Output Current	20-160A
Rated Duty Cycle	20% @160A@40°C



200A Electric Welding
PEW-200A

Rated Input Voltage	AC 240V
Frequency	60Hz Rated
Input Current	40A at 240V
Output Current	20-200A
Rated Duty Cycle	30% @200A@40°C

 **SENIX** | AC Corded

TAKE THE ASHES OUT

OF YOUR ACRES





**AC 1800W 35cm(14")
Chainsaw**

CSE18-L-EU

Voltage	220V~240V
Power	1800W
Chain Speed	14m/s
Bar&Chain	9.53mm(3/8")
Bar Length	35cm(14")
Weight(Tool Only)	3.6kg



**AC 2000W 35cm(14")
Chainsaw**

CSE20-M4-EU

Voltage	220V~240V
Power	2000W
Chain Speed	15.2m/s
Bar&Chain	9.53mm(3/8")
Bar Length	35cm(14")
Weight(Tool Only)	5.2kg



**AC 2200W 40cm(16")
Chainsaw**

CSE22-M4-EU

Voltage	220V~240V
Power	2200W
Chain Speed	15.2m/s
Bar&Chain	9.53mm(3/8")
Bar Length	40cm(16")
Weight(Tool Only)	5.4kg



**AC 2400W 45cm(18")
Chainsaw**

CSE24-M2-EU

Voltage	220V~240V
Power	2400W
Chain Speed	15.2m/s
Bar Length	45cm(18")
Weight(Tool Only)	5.6kg



**AC 2200W 45cm(18")
Chainsaw**

CSE22-M-EU

Voltage	220V~240V 50Hz
Power	2200W
Chain Speed	14.5m/s
Bar &Chain	9.53mm(3/8")
Bar Length	45cm(18")
Weight(Tool Only)	5.1kg



**AC 2000W 40cm(16")
Chainsaw**

CSE20-M1-EU

Voltage	220V~240V 50Hz
Power	2000W
Chain Speed	14.5m/s
Bar &Chain	9.53mm(3/8")
Bar Length	40cm (16")
Weight(Tool Only)	4.8kg



**AC 1800W 35cm(14")
Chainsaw
CSE18-M-EU**

Voltage	220V~240V 50Hz
Power	1800W
Chain Speed	14.5m/s
Bar&Chain	9.53mm(3/8")
Bar Length	35cm (14")
SDS Tensioning	Yes
Lubrication Type	Automatic
Weight(Tool Only)	4.9 kg



**AC 2000W 40cm(16")
Chainsaw
CSE20-M2-EU**

Voltage	220V~240V 50Hz
Power	2000W
Chain Speed	14.5m/s
Bar&Chain	9.53mm(3/8")
Bar Length	40cm (16")
Weight(Tool Only)	5.0 kg



**AC 2200W 40cm(16")
Chainsaw
CSE22-M3-EU**

Voltage	230V 50Hz
Power	2200W
No-Load Speed	8500RPM
Chain Speed	16m/s
Bar &Chain	9.53mm(3/8")
Bar Length	40cm (16")
Oil Tank	140ml
Weight(Tool Only)	4.9kg



**AC 2400W 45cm(18")
Chainsaw
CSE24-M1-EU**

Voltage	230V 50Hz
Power	2400W
No-Load Speed	8500RPM
Chain Speed	16m/s
Bar &Chain	9.53mm(3/8")
Chain & Bar Length	45cm(18")
Oil Tank	140ml
Weight(Tool Only)	5.1kg



**AC 750w 25cm(10")
Pole Saw
CSPE08-L1-EU**

Voltage	220-240V /50HZ
Rated Output Power	750W
No Load Speed	5700RPM
Chain Speed	10.5m/s
Chain & Bar Length	25cm(10")
Machine Telescoping Size	1.5-3m
Oil Tank	75ml



**AC 750W 20cm (8")
Pole Saw
CSPE7.5-M1-EU**

Voltage	220V~240V 50Hz
Power	750W
No Load Speed	6000RPM
Chain Speed	11m/s
Bar Length	20cm
Telescopic Pole	1.92~2.6m
Weight(Tool Only)	3.6kg



AC Brush Cutter
BCUE12-L-EU

Voltage	220V~240V 50Hz
Power	1200W
No Load Speed	6500RPM
Line Cutting Capacity	340mm
Line Diameter	2X2.0mm
Split Shaft	Yes,2 pieces
Weight(Tool Only)	4.9kg



AC Brush Cutter
BCPE12-L-EU

Voltage	220V~240V 50Hz
Power	1200W
No Load Speed	6500RPM
Line Cutting Capacity	340mm
Line Diameter	2X2.0mm
Blade Type	4 Teeth
Blade Cutting Capacity	230mm
Cable Length	0.25m
Weight(Tool Only)	4.9kg



AC 1200w 34cm (13")
Brush Cutter
BCUE12-M-EU

Voltage	220~240V /50Hz
Power	1200W
No Load Speed	6500RPM
Line Cutting Capacity	34cm (13")
Line Diameter	2.5mm*2
Line Feeding	bump
Blade Type	4 Teeth
Blade Cutting Capacity	23cm
Handle Type	U
Cable Length	0.25m



AC Grass Trimmer
GTE10-L-EU

Voltage	220V~240V 50Hz
Power	1000W
No Load Speed	7000RPM
Cutting Capacity	340mm
Line Diameter	2X2.0mm
Weight(Tool Only)	4.9kg



250W Corded
25cm (10") Grass Trimmer
GTE2.5-L-EU

Power	250W
Cutting Capacity	25cm(10")
Line Diameter	1*1.4mm
Line Feeding	Semi-automatic feed
Shaft Type	Straight
Weight(Tool Only)	1.8kg



300W Corded
25cm (10") Grass Trimmer
GTE3.0-L-EU

Power	300W
Cutting Capacity	25cm(10")
Line Diameter	1*1.6mm
Line Feeding	Semi-automatic feed
Shaft Type	Straight
Weight(Tool Only)	1.8kg



AC Pole Hedge Trimmer
HTPe5.0-M-EU

Voltage	230V
Rated Output Power	500W
No Load Speed	3500SPM
Blade Length	500mm
Cutting Length	466mm
Tooth Space	28mm
Cutting Capacity	18mm
Collapsing Height	2300mm
Angle Modulation	-60°~+90°
Weight(Tool Only)	3.6kg



**1400W Corded 40cm (16")
Cultivator / Tiller**
TLE14-M-EU

Power	1400W
No-Load Speed	3700RPM
Working Width	40cm(16")
Working Depth	20cm
Weight(Tool Only)	12.5kg



**AC 2200W 658m³/h (380CFM)
Blower Vac**
BLVE22-M-EU

Voltage	230V 50Hz
Power	2200W
Max Air Speed	65m/s
Max Air Volume	648m³/h(380CFM)
No-load Speed	14000±10%RPM
Collection Bag	35L
Weight(Tool Only)	3.2kg



**AC 2200W 720m³/h (425CFM)
Blower Vac**
BLVE22-M1-EU

Voltage	230V 50Hz
Power	2600W
Max Air Speed	80m/s
Max Air Volume	720m³/h (425CFM)
No-load Speed	15000±10%RPM
Collection Bag	45L
Weight(Tool Only)	3.2kg



**AC 1400W 1200m³/h (706CFM)
Blower**
BLAE14-M-EU

Voltage	220V~240V 50Hz
Motor Type	1400W
Wind Speed	50m/s
Wind Volume	1200m³/h (706CFM)
Weight(Tool Only)	3.2kg



**AC 450w 38cm (15")
Hedge Trimmer**
HTE4.5-L-EU

Voltage	220-240V / 50Hz
Power	450W
No Load Speed	3800 SPM
Blade Cutting Length	380mm(15")
Blade Cutting Capacity	18mm
Tooth Space	28mm
Blade Action	Dual action
Motor Type	Universal motor
Blade Protection Tip	No



AC 1600W 38cm(15")
Electric Lawn Scarifier & Baker
SCE16-L-EU

Voltage	220-240V 50Hz
Power	1600W
No-Load Speed	3000RPM
Working Width	38cm(15")
Working Depth	-10mm to +10mm
Adjustable Height Positions	5 Settings
Axle Type	One Axle of Scarifier One Axle of Raker
Collection Bag	50L
Weight(Tool Only)	10kg



AC 1200W 32cm (12.6")
Lawn Mower
LPPE12-L-EU

Voltage	220-240V 50Hz
Power	1200W
Cutting Capacity	32cm (12.6")
Height Adjustment	20-70mm,6 positions
Rear Collection	30L
Weight(Tool Only)	6.5kg



AC 1600W 38cm (15")
Lawn Mower
LPPE16-M1-EU

Voltage	220-240V 50Hz
Power	1600W
No Load Speed	3500RPM
Cutting Capacity	38cm (15")
Height Adjustment	25mm-75mm,6 positions
Wheel Size (F/R)	16cm/18cm
Rear Collection	45L
Weight(Tool Only)	14.7kg



AC 1400W 34cm (13")
Lawn Mower
LPPE14-L1-EU

Voltage	220-240V 50Hz
Power	1400W
Cutting Capacity	34cm (13.3")
Height Adjustment	25mm-75mm,6 positions
Rear Collection	35L
Weight(Tool Only)	8kg



AC 2000W 43cm (17")
Lawn Mower
LPPE20-M-EU

Voltage	220-240V 50Hz
Power	2000W
No Load Speed	3300RPM
Cutting Capacity	43cm (17")
Height Adjustment	25mm-75mm,6 positions
Wheel Size (F/R)	18cm/22cm
Rear Collection	50L
Weight(Tool Only)	16.2kg



**1000W Corded
32cm (12.6") Lawn Mower**
LPP10-L-EU

Power	1000W
Cutting Width	32cm(12.6")
Cutting Heights	20-65mm,3 positions
Wheels Size	14cm
Rear Collection	30L
Weight(Tool Only)	5.8kg



**1400W Corded 34cm(13")
Lawn Mower**
LPPE14-M-EU

Power	1400W
Cutting Width	34cm(13.3")
Cutting Heights	20-70mm,6 positions
Wheels Size	14/16cm
Rear Collection	35L
Weight(Tool Only)	8kg



**1600W Corded
38cm (15") Lawn Mower**
LPPE16-M-EU























Power	1600W
Cutting Width	38cm(15")
Cutting Heights	25mm-75mm,6 positions
Wheels Size	16/18cm
Rear Collection	45L
Weight(Tool Only)	8.5kg





**1800W Corded 42cm(16.5")
Lawn Mower**
LPPE18-M-EU

Power	1800W
Cutting Width	42cm (16-1/2")
Cutting Heights	20-70mm,6 positions
Wheels Size	16/22cm
Collection Bag	half/half 50L




IMPACT WRENCH ACCESSORY

	Type	Part Number	Shank	Length	Notes
	11Pcs Black Ninja	AEBS-0001		Bit 25mm Holder 50mm	Various drill bits for terminal user Plastic Box for convenient storage
	11Pcs Silver Knight	AEBS-0002		Bit 25mm Holder 50mm	
	32Pcs bit set	AEBS-0003		Bit 25mm Holder 50mm	
	Drills For stone	AEDB-0059	1/4"shank 	80mm	High quality materials used for fast remove and long life
		AEDB-0063		120mm	
		AEDB-0064	Straight shank 	80mm	
		AEDB-0068		120mm	
	Drill for metal	AEDB-0001	1/4"shank 	95mm	HSS materials for long life
		AEDB-0008		161mm	
		AEDB-0009	1/4"shank 	95mm	Titanize coating high class goods for fast remove & long life
		AEDB-0016		161mm	
	Drill for wood	AEDW-0001	Straight shank 	78mm	For wood hole size less
		AEDW-0008		162mm	
		AEDW-0017	1/4"shank 	152mm	Fast remove and long life
		AEDW-0033		152mm	
		AEDW-0051	1/4"shank 	150mm	For wood drilling (pine/ cedarwood/ MDF/ rosewood) Material: HCS
		AEDW-0059		150mm	
		AEDW-0060	1/4"shank 	200mm	
		AEDW-0074		200mm	





IMPACT WRENCH ACCESSORY

	Head size	Part Number	Shank	Length	Notes
	8	AEIW-0001	1/2" shank	23mm	Used for impact wrench High quality Cr Mo material, longer tool life
	12	AEIW-0004		25mm	
	16	AEIW-0007		32mm	
	19	AEIW-0010		35mm	
	32	AEIW-0016		35mm	
	17	AEIW-0017	3/4" shank	50mm	
	26	AEIW-0027		52mm	
	36	AEIW-0038		95mm	




SAW BLADE ACCESSORY

	Type	Part Number	Hole	Diameter	Teeth
 	Cutting wood with nail	AECS-0001	20mm	140mm	24
		AECS-0002	20mm	140mm	40
		AECS-0003	20mm	165mm	24
		AECS-0004	20mm	165mm	40
		AECS-0005	20mm	190mm	24
		AECS-0006	20mm	190mm	36
		AECS-0007	20mm	190mm	60
		AECS-0008	20mm	210mm	24
		AECS-0009	20mm	210mm	36
		AECS-0010	30mm	210mm	60
		AECS-0011	30mm	235mm	24
		AECS-0012	30mm	235mm	48
		AECS-0013	30mm	235mm	60
		AECS-0014	20mm	185mm	24
		AECS-0015	20mm	185mm	36
		AECS-0016	20mm	185mm	60
	Multifunctional cutting such as Alu wood sheet metal	AECS-0031	/	165mm	60
		AECS-0032	/	185mm	60
		AECS-0037	/	235mm	60
		AECS-0040	/	260mm	120


FLAP / STRIP DISC ACCESSORY

	Type	Part Number	Hole	Diameter	Grit
	Aluminum	AEFD-0001	16mm	100mm	#40
		AEFD-0016	22.23mm	180mm	#120
	Zirconium	AEFD-0017	16mm	100mm	#40
		AEFD-0032	22.23mm	180mm	#120
	Ceramic	AEFD-0033	16mm	100mm	#40
		AEFD-0038	22.23mm	115mm	#60
		AEFD-0043	22.23mm	125mm	#80
		AEFD-0048	22.23mm	180mm	#120
	Special coating for grinding Aluminum	AEFD-0049~	16mm /	100mm ~	#40/ #60/
		AEFD-0064	22.23mm	180mm	#80/ #120
	Soft/ Middle/Hard	AESD-0001	16mm	100mm	Black (Hard)
		AESD-0005	22.23mm	115mm	Blue (Middle)
		AESD-0009	22.23mm	125mm	Purple (Fine)




CUTTING / GRINDING WHEEL ACCESSORY

	Type	Part Number	Hole	Diameter	Thickness
	For cutting metal & INOX Grit: WA46T	AECW-0001	16mm	100mm	1mm
		AECW-0002	22.23mm	115mm	1mm
		AECW-0003	22.23mm	125mm	1mm
		AECW-0008	22.23mm	180mm	1.8mm
	For cutting metal& INOX Grit: WA46T 10Pcs/Can	AECW-0001-10	16mm	100mm	1mm
		AECW-0002-10	22.23mm	115mm	1mm
		AECW-0003-10	22.23mm	125mm	1mm
	Very fit on grinding metal & INOX	AEGD-0001	16mm	100mm	6mm
		AEGD-0002	22.23mm	115mm	
		AEGD-0003	22.23mm	125mm	
		AEGD-0004	22.23mm	180mm	
		AEGD-0005	22.23mm	230mm	



JIGSAW SAW BLADE ACCESSORY

	Type	Part Number	Note	TPI	Material
	Fast wood	AEJS-0001	T144D	6	HCS
	Fast wood	AEJS-0002	T244D	8	HCS
	Fast wood	AEJS-0003	T344D	6	HCS
	Clean wood	AEJS-0004	T101B1	10	HCS
	Clean wood	AEJS-0005	T101B2	10	HCS
	Clean wood	AEJS-0006	T308B	12	HCS
	Hard wood	AEJS-0007	T101BF	10	BIM
	Hard wood	AEJS-0008	T101AIF	14	BIM

RECIPROCATING SAW BLADE ACCESSORY


	Type	Part Number	Length	TIP	Material
	Basic wood	AERC-0001	150mm	6	HCS
		AERC-0002	230mm	6	
	Saw blades for cutting branch	AERC-0003	230mm	5	
		AERC-0004	300mm	5	
	Metal Basic	AERC-0003	150mm	18	BIM
		AERC-0004	225mm	18	
		AERC-0005	150mm	24	
		AERC-0006	225mm	24	
		AERC-0001	150mm	20-24	
		AERC-0002	225mm	20-24	

GUIDE CHAIN ACCESSORY

	Type	Part Number	Length (Inch)	Links	Pitch
	Bar	AECS-0101	16"	56	3/8"
		AECS-0102	14"	50	3/8"
		AECS-0103	14"	52	3/8"
		AECS-0104	16"	57	3/8"
		AECS-0105	18"	62	3/8"
		AECS-0106	18"	72	0.325"
		AECS-0107	5"	29	0.043"
	Chain	AEGB-0001	16"	56	3/8"
		AEGB-0002	14"	52	3/8"
		AEGB-0003	14"	50	3/8"
		AEGB-0004	18"	62	3/8"
		AEGB-0005	18"	72	0.325"
		AEGB-0006	16"	57	3/8"
		AEGB-0007	5"	29	0.043"

IMPACT WRENCH ACCESSORY

	Part Number	Notes	Tooth Type	Head Width	Materials
	AEMS-0001	Cutting Wood & Wood with Nail	Milling teeth	10mm	BIM
	AEMS-0002			20mm	BIM
	AEMS-0003			32mm	BIM
	AEMS-0004			45mm	BIM
	AEMS-0005			65mm	BIM
	AEMS-0006			87mm	BIM
	AEMS-0007	Cutting Wood	Grinding Teeth	10mm	HCS
	AEMS-0008			20mm	HCS
	AEMS-0009			32mm	HCS
	AEMS-0010			45mm	HCS
	AEMS-0011			65mm	HCS
	AEMS-0012			87mm	HCS
	AEMS-0013	Relieving Tool	Grinding Teeth	28*50mm	HCS
	AEMS-0014			52*45mm	HCS
	AEMS-0015			50mm	HCS
	AEMS-0016	Sander Pad	Hook & loop	93mm	EVA
	AEMS-0020	Fine	Hook & loop	93mm	Aluminum #60
	AEMS-0021			93mm	Aluminum #80
	AEMS-0022			93mm	Aluminum #120
	AEMS-0023			93mm	Aluminum #240



UNSTOPPABLE
POWER



PHONE

0086-573-83389274



INSTAGRAM

senixtoolsglobal



E-MAIL

senix@senix.co



FACEBOOK

SENIX Global



SENIX[®]

senix.co